

Industrial Metals

Comparison of Gauges

Gauge	United States Std.	USS REV	Thickness Equivalent Galv. Sheet	Brown and Sharpe	Oz./ Sq. Ft.	Decimal Equivalent
	Stainless Steel Monel Nickel	Galvannealed Cold Rolled Hot Rolled Steel Sheet	After Galvanizing	Aluminum Brass Bronze	Copper	
30	.0125	.0120	.0157	.0100	8	.0108
29	.0140	.0135	.0172	.0113		
28	.0156	.0149	.0187	.0126	10	.0135
27	.0171	.0164	.0202	.0142	12	.0162
26	.0187	.0179	.0217	.0159	14	.0189
25	.0218	.0209	.0247	.0179	16	.0216
24	.0250	.0239	.0276	.0201	18	.0243
23	.0281	.0269	.0306	.0226	20	.0270
22	.0312	.0299	.0336	.0253		
21	.0343	.0329	.0366	.0285	24	.0323
20	.0375	.0359	.0396	.0320	28	.0377
19	.0437	.0418	.0456	.0359	32	.0431
18	.0500	.0478	.0516	.0403		
17	.0562	.0538	.0575	.0453	36	.0485
16	.0625	.0598	.0635	.0508	40	.0539
15	.0703	.0673	.0710	.0571	48	.0647
14	.0781	.0747	.0785	.0641	64	.0863
13	.0937	.0897	.0934	.0720	3/32	.0937
12	.1093	.1046	.1084	.0808		
11	.1250	.1196	.1233	.0907	1/8	.1250
10	.1406	.1345	.1382	.1019		