


For Your Custom Awning Needs



ALUMINUM AWNING COLOR GUIDE



CUSTOM MADE FOR YOU


WHY T&C AWNINGS?

Custom-made to your color and size specifications, our aluminum awnings are the practical choice for protecting doors and windows from the elements. Affordable and long-lasting, they feature adjustable side arms that can be folded down for window protection.

Our unique slat panel design includes a heavy-gauge side valance and full, 1-inch cross members for strength. For added stability, stiffeners are used on all awnings over 79 inches wide.

- Reduces summer cooling costs
- No-maintenance enamel finish
- Resists chalking and fading
- Mill finish exposed extrusions

AWNING COMPONENTS



1" LOCKSEAM TUBING



ARM CLIP



HINGE (MALE)



HINGE (FEMALE)



CAMEL BRACKET W/PIN

16 COLORS TO CHOOSE FROM

CREATE YOUR OWN LOOK. You can design your awnings in a solid color, select a base color and add accent stripes, or choose your own configuration. With such a wide variety of colors, the options are almost endless.



WHITE



IVORY




GRAY



METALLIC BLUE



DARK BLUE



AQUA



AVOCADO




DARK GREEN



RED



PEACH



BRIGHT YELLOW



CREAM



TAN



BROWN



BRONZE



BLACK

*Colors shown may vary slightly from actual material



CONE W/ ARM AND SLIP COLLAR W/ SCREW



TRAILER PLATE W/ WING NUT



LEFT/RIGHT EARS



TIE DOWN BRACKET



"S" BRACKET AND SLIP COLLAR W/ SCREW

T&C AWNINGS ARE EASY TO ORDER. The width you require will determine the number of slats. Our awning components, available in both white and ivory, provide everything needed for quick installation.

SLAT PANEL DESIGN									
Slat Number	Width	Slat Number	Width	Slat Number	Width	Slat Number	Width	Slat Number	Width
51	156 3/16"	64	196"	77	235 13/16"	90	275 5/8"	103	315 7/16"
52	159 1/4"	65	199 1/16"	78	238 7/8"	91	278 11/16"	104	318 1/2"
53	162 5/16"	66	202 1/8"	79	241 15/16"	92	281 3/4"	105	321 9/16"
54	165 3/8"	67	205 3/16"	80	245"	93	284 13/16"	106	324 5/8"
55	168 7/16"	68	208 1/4"	81	248 1/16"	94	287 7/8"	107	327 11/16"
56	171 1/2"	69	211 5/16"	82	251 1/16"	95	290 15/16"	108	330 3/4"
57	174 9/16"	70	214 3/8"	83	254 3/16"	96	294"	109	333 13/16"
58	177 5/8"	71	217 7/16"	84	257 1/4"	97	297 1/16"	110	336 7/8"
59	180 11/16"	72	220 1/2"	85	260 5/16"	98	300 3/16"	111	339 15/16"
60	183 3/4"	73	223 9/16"	86	263 3/8"	99	303 3/16"	112	343"
61	186 13/16"	74	226 5/8"	87	266 7/16"	100	306 1/4"	---	---
62	189 7/8"	75	229 11/16"	88	269 1/2"	101	309 5/16"	---	---
63	192 15/16"	76	232 3/4"	89	272 9/16"	102	312 3/8"	---	---

Awning slats can be ordered at a minimum of 24 inches and cannot exceed a maximum of 110 inches. If they exceed these measurements, it will require a "Special Order."

AWNING COMPONENTS					
Item #	Description	Item #	Description	Item #	Description
AWRS78ML	7/8" Rnd Serr Tube 20' Ml	AWSCBRK	Small Camel Bracket	AWARMCPTIV	Arm Clip Ivory
AWRS1ML	1" Rnd Serr Tube 20' Ml	AWARMCPTWH	Arm Clip White	AWCONETIV	Cone Ivory
AWHM24ML	Hinge Male 24' Mill	AWLPIN	Lock Pin	AWEARLTTIV	Ear Left Ivory
AWHF24ML	Hinge Female 24' Mill	AWEARRTTWH	Ear Right White	AWEARRTTIV	Ear Right Ivory
AWTU121TWH	1" RF Tubing 21' White	AWEARLTTWH	Ear Left White	AWSBRK	"S" Bracket
AWTDBRK	Tie Down Bracket	AWTSCR	Thumb Screw	AWCLRSCR	Collar W/Screw
AWCONETWH	Cone White	AWTPLT	Trailer Plate	---	---

