

# Marine Products

## LED LIGHT ASSEMBLY: OVAL WITH END CAPS

*For T-Tops, Radar Arches, Poling Platforms and Half Towers*



Description	Length	LED Color	P/N
Oval Light (Silver)	23"	White / Red	LEDOVAL102
Oval Light (Silver)	23"	White Blue	LEDOVAL103
Oval Light (White)	23"	White / Red	LEDOVAL105
Oval Light (White)	23"	White / Blue	LEDOVAL106





- LED low profile task, safety and mood lighting
- All aluminum, corrosion resistant, oval housing.
- Completely self-contained in a waterproof housing.
- Requires 12 VDC, very low amp draw.
- Fits underneath gunnels easily.
- Includes mounting clips.
- Housing is available in Silver or White powder coated.



# Marine Products

## ROUND IN-PIPE TUBE LIGHTS

*For T-Tops, Radar Arches, Poling Platforms and Half Towers*



Description	Length	LED Color	P/N
Round Light (Silver)	23"	Red / White / Blue	LEDRD101
Round In-Pipe Tube Insert	23"	Red / White / Blue	LEDRD102
Round Replacement Cartridge	23"	Red / White / Blue	LEDRD103

- High quality marine grade silver anodized aluminum housing.
- Easily mounted with two screws (included) and wired in seconds.
- LED strip lights for the housing can be selected in various colors and color combinations.
- Dual color LED options serve as task lighting with the added feature of safety and/or mood lighting.
- In-Pipe tube insert and replacement cartridges are 2 wire.

*Please check with your local T&C Metals Branch for updates, as specifications, materials availability, prices and terms of purchase may change without notice.*

[www.tc-alum.com](http://www.tc-alum.com)

**T&C Metals**  
Wholesale Metal Products  
A Division of ABC Supply Co., Inc.

E-15

# Marine Products

## T-TOP LED TUBE LIGHTS



Color	P/N
White / Blue	LTA501WB
White / Red	LTA502WR

- Bright polished anodized aluminum overhead light.
- SMD5050 LED mounted in watertight IP-68 Schedule 40, 6463 Aluminum pipe.
- 20' power cord from end with optional cord exit locations available.
- 12 volts.
- Single color available upon request.

## LED ENGINE ROOM LIGHTS



Description	P/N
E-360 ENGINE ROOM LIGHT	LEDERSMWH

- 12V, 36-LED
- IP-68.
- Beam Angle: 180°.
- Surface Mount.
- Wire can exit from bottom or end of fixture
- Dimensions: 13"L x 2-3/4"W x 7/8"H.